





REVISION RECORD				
REV	ECD	DESCRIPTION	DRFT	CHKD







NOTE:
 MECHANICAL:
 CONNECTOR MATERIAL:
 1.HOUSING: HIGH TEMPERATURE THERMOPLASTIC
 GLASS FIELD, UL94V-0,
 ; STANDARD COLOR ;BLACK.
 2.CONTACT: PHOS-BRONZE THICKNESS=0.20mm.
 3.DURABILITY: 100 CYCLES MIN.
 ELECTRICAL:
 DIFFERENTIAL IMPEDANCE: 100 Ohms.
 TEMPERATURE:
 OPERATION: -40°C~ +85°C
 STORAGE: -40°C~ +85°C
 RoHS COMPLIANT
 PART NUMBER: SFP021C-L

DIMENSIONAL LIST	MM (CONCD)	DRFTD JERRY	DATE 09/06/09
	TOLERANCES EXCEPT AS NOTED	CHKD ANDY	DATE 09/06/09
	MM	MFD	DATE
	.0 ± 0.25	APPV/LALANN	DATE 09/06/09
	.30 ± 0.15		
.00 ± 0.075			
ANGLES ±	QTY :	MATERIAL :	
THIRD ANGLE PROJECTION	FINISH:	SCALE :	

Xmultiple Technologies. Inc.			
SFP CAGE 2X1 PORT			
DRAWING NO. SFP-021C		SIZE	REV
/PART NO. SEE NOTE		A3	0
DO NOT SCALE DRAWING		SHEET X	OF Y

REVISION RECORD				
REV	ECD	DESCRIPTION	DRFT	CHKD



Top View
Connector & Cage Assembly PC Board Layout

CONNECTOR PC Board Layout

REVISION LIST	MM CINCPD	INFO JERRY	DATE 09/06/09	Xmultiple Technologies, Inc.			
	TOLERANCES EXCEPT AS NOTED	CHKD ANBY	DATE 09/06/09				
	MM J ± 0.20 .00 ± 0.25 000 ± 0.875	MFD	DATE				
	ANGLES ±	APPL ALANN	DATE 09/06/09				
	THIRD ANGLE PROJECTION	MATERIAL	DATE				
		QT'Y		TITLE SFP CAGE 2X1 PORT			
		FINISH				DRAWING NO. SFP-021C	SIZE A3
		SCALE				/PART NO. SEE NOTE	
			DO NOT SCALE DRAWING		SHEET X OF Y		